

ADDENDUM NUMBER FOUR


DATE August 20, 2018

TO THE PLANS AND SPECIFICATIONS FOR:

PAGE 1 OF 1 PAGES

RENOVATIONS AT ADMINISTRATION BUILDING
SANTA ROSA INDEPENDENT SCHOOL DISTRICT
SANTA ROSA, TEXAS

LAMARR WOMACK & ASSOCIATES, LP
711 N. CARANCAHUA, SUITE 404
CORPUS CHRISTI, TX 78401
361/884-7442 FAX: 361/883-1612



This addendum is generally separated into sections for convenience; however, all contractors, subcontractors, materialmen, and other parties shall be responsible for reading the entire addendum. The failure to list an item or items in all affected sections of this addendum does not relieve any party affected from performing as per instructions, providing that the information is set forth any time, any place in this addendum. These documents shall be attached to and become a part of the contract documents for this project.

SPECIFICATION ITEMS

Item S-1 Section 096519 – Resilient Tile Flooring, 1.2 Summary, A. Section Includes: – ADD
and Solid vinyl floor tile.

Item S-2 Section 096519 – Resilient Tile Flooring, Part 2 - Products: – ADD
2.2 Solid Vinyl / Luxury Floor Tile

- A. Products: Subject to compliance with requirements, provide one of the following available products that may be incorporated into the Work include, but are not limited to, the following (For substitution requests comply with section 01640 Substitutions and Product Options.)
 - 1. Armstrong Flooring, Inc.- Parallel Collection - 20 mil wear layer Luxury Solid Vinyl Tile Flooring.
- B. Tile Standard: ASTM F 1700.
 - 1. Class: Class III, solid vinyl tile.
 - 2. Type: B, embossed surface.
 - 3. Made in America
- C. Thickness: 0.100 inch.
Wear layer thickness: .020 inch
- D. Size: As selected by Architect from full range of industry colors
- E. Surface texture and edge treatment: As selected by Architect from full range of industry colors.
Warranty: 15-year commercial resilient limited warranty
- F. Colors and Patterns: As selected by Architect from full range of industry colors.

Item S-3 Section 096519 – Resilient Tile Flooring, 3.4 Cleaning and Protection, A.: –
CHANGE rubber floor tile **TO** solid vinyl floor tile.