RENOVATION LEGEND		
SYMBOL	DESCRIPTION	
	EXISTING TO REMAIN "(E)"	
	RELOCATED "(R)"	
	NEW CONSTRUCTION	

SPECIAL SYSTEMS COORDINATION

THE INTENT OF THIS DRAWING IS TO PROVIDE THE CONTRACTOR WITH AN APPROXIMATE LAYOUT AND ESTIMATION OF THE QUANTITY OF BOXES FOR SPECIAL SYSTEMS DEVICES. IT IS THE CONTRACTOR'S RESPONSIBILITY TO COORDINATE ALL FIRE ALARM & NURSE CALL COMPONENTS, QUANTITIES & LOCATIONS WITH THE OWNER'S PREFERRED VENDORS. CONTRACTOR SHALL UPDATE THEIR BACKBOX/CONDUIT QUANTITIES AFTER COORDINATING WITH VENDORS AND INCLUDE CORRECT QUANTITIES IN BID. REFER TO GENERAL SPECIAL SYSTEMS NOTES.

GENERAL SPECIAL SYSTEMS NOTES

- 1. ALL SPECIAL SYSTEMS BOXES, SLEEVES & CONDUIT ARE PART OF THIS
- 2. PROVIDE BOXES & 1-INCH CONDUIT WITH CONNECTOR & BUSHING TO ACCESSIBLE LOCATION ABOVE THE CEILING. PROVIDE A PULL STRING IN EACH CONDUIT AND TIE OFF PULL STRING ABOVE CEILING. FOR FLOOR OUTLETS, PROVIDE 1-INCH CONDUIT TO ACCESSIBLE LOCATION ABOVE THE CEILING ON THE FLOOR SERVED BY THE OUTLET.
- <u>DATA/COMMUNICATION/PHONE & SECURITY/ACCESS CONTROL:</u>
 CONTRACTOR SHALL ONLY PROVIDE BOXES, SLEEVES & CONDUIT AS DESCRIBED ABOVE IN NOTE 2. CABLING, DEVICES & INSTALLATION ARE OWNER FURNISHED & OWNER INSTALLED AND WILL NOT BE PART OF THIS CONTRACT.
- FIRE ALARM & NURSE CALL: CABLING, DEVICES AND INSTALLATION ARE TO BE SUBCONTRACTED (AS PART OF THIS CONTRACT) TO THE OWNER'S PREFERRED SPECIAL SYSTEMS VENDOR. PROVIDE BOXES, SLEEVES AND CONDUIT AS DESCRIBED ABOVE IN NOTE 2. VERIFY AND COORDINATE.

SPECIAL SYSTEMS SYMBOL LEGEND				
SYMBOL	DESCRIPTION			
∇	COMMUNICATIONS DATA/PHONE OUTLET.			
(3)	COMMUNICATIONS TELEVISION OUTLET.			
S	COMMUNICATIONS SPEAKER.			
WAP	COMMUNICATIONS WIRELESS ACCESS POINT.			
FACP	FIRE ALARM CONTROL PANEL.			
FAA	FIRE ALARM ANNUNCIATOR PANEL.			
P	FIRE ALARM PULL STATION.			
×	FIRE ALARM STROBE.			
⊠⊲	FIRE ALARM COMBINATION HORN/STROBE.			
(SD)	FIRE ALARM SMOKE DETECTOR.			
<u>®</u> —	FIRE ALARM DUCT MOUNTED SMOKE DETECTOR.			
RTS	FIRE ALARM REMOTE TEST SWITCH.			
(H)	FIRE ALARM HEAT DETECTOR.			
MH	FIRE ALARM MAGNETIC DOOR HOLDER.			
NCM	NURSE CALL MASTER.			
NTC	NURSE CALL TERMINAL CABINET.			
X	NURSE CALL DOME LIGHT. 1900 BOX WITH SINGLE GANG TRIM & 1" CONDUIT.			
※	NURSE CALL ZONE LIGHT. 1900 BOX WITH SINGLE GANG TRIM & 1" CONDUIT.			
\$	NURSE CALL SINGLE BED PATIENT STATION. 3-GANG & 1" CONDUIT.			
€	NURSE CALL CODE BLUE STATION. 1-GANG & 1" CONDUIT.			
€	NURSE CALL EMERGENCY PULL STATION. 1-GANG & 1" CONDUIT.			
6 \$	NURSE CALL DUTY STATION. 3-GANG & 1" CONDUIT.			
REX	SECURE ACCESS REQUEST TO EXIT.			
CR	SECURE ACCESS CARD READER.			



Architecture • Interiors • Planning 1165 BRITTMOORE RD. HOUSTON, TEXAS 77043 (T) 713.626.4300 (F) 713.626.4301

Garner-Fritsche

in association with:

8554 Katy Freeway, Suite 101, Houston, TX 77024 713.432.1422 - Fax 713.432.1253 www.garnerfritsche.com Texas Reg. No. F-5712 GFE Project No. 18022

Houston, Texas 77043 **bennett** p: 713.850.8833 f:713.850.0383 design group



3rd Floor **INPATIENT REHAB UNIT**

THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF INTERIM REVIEW ONLY, UNDER THE AUTHORITY OF:
Name: GREG W. MERCER P.E. No. 114431
DATE: 09/06/2018

۱O.	ISSUE	DATE

Sheet Information

REVISIONS

PARTIAL FLOOR

PLAN - SPECIAL SYSTEMS - AREA 2

09/06/2018

E5.02 ISSUED FOR PRICING ONLY

Copyright © 2018 Heitkamp Swift Architects

PARTIAL FLOOR PLAN - SPECIAL SYSTEMS - AREA 2

1/8" = 1'-0"